

ADDICTION:

Data, Treatment & Workforce Implications

Building Recovery-ready Organisations: Inclusion Beyond Stigma



Dr Georges PETITJEAN


Founder, WARM: The Workplace Addiction & Recovery Movement

MISUNDERSTANDING?



Misconceptions

Myths



Addiction & Recovery








SPECTRUM





..... Habits & Risks

(EXTREMELY) SUMMARISED DEFINITIONS



toce


The 4 C's of ADDICTION

- 1 Cravings
- 2 Loss of Control
- 3 Compulsion
- 4 Use despite Consequences

RECOVERY

'Voluntarily-sustained control over substance use which maximises health & wellbeing'

UK Drug Policy Commission Recovery Consensus Group (2008).






(THE ONE TAKEAWAY)



Addiction is a:










that is TREATABLE

COMPARISON OF RELAPSE RATES BETWEEN SUBSTANCE USE DISORDERS & OTHER CHRONIC ILLNESSES








Control

Cocaine



NIH National Institute on Drug Abuse

www.drugabuse.gov

PET SCAN:


The right scan shows the brain of an individual with cocaine use disorder.

Compared to the control on the left, the PET image on the right shows a lower concentration of red appearing on the scan, indicating a lower glucose concentration and less neural activity.


Glucose is an important fuel source in the brain, and changes in glucose concentration and overall brain activity interferes with many of the brain's normal functions.

BRAIN RECOVERY WITH PROLONGED ABSTINENCE





HEALTHY CONTROL



PATIENT WITH METHAMPHETAMINE USE DISORDER

1 Month of Abstinence 14 Months of Abstinence

Source: recoveryanswers.org

WIDESPREAD & HARMFUL





Addiction Healthcare Goals, Office for Life Sciences 2025:

- The health and wider societal costs to society in England of illegal drug use is approximately £20 billion per year, with the harms from alcohol use estimated to cost over £27 billion.
- * 5,000 UK **deaths** annually due to drug misuse. In addition, there are over 10,000 annual UK deaths from alcohol.
- * 600,000 dependent on alcohol in England.

Major treatment GAP + Majority of people with a SUD are in employment =

EMPLOYERS AS AN OPPORTUNITY FOR PEOPLE TO ACCESS SUPPORT EARLY.

(COSTLY) TABOO SUBJECT



17 million working days lost per year due to alcohol-related sickness.

(Association of Directors of Public Health)

£7.3 billion of costs to employers due to lost productivity, absenteeism and accidents.


(Institute of Alcohol Studies)

57% admit to having struggled with some form of addiction.

(BUPA)

45% of those struggling would not disclose an addiction, and **43%** have avoided seeking help for fear of workplace consequences.

(BUPA)



SUPPORT S AVAILABLE





Employers to act as

FACILITATORS

WE ALREADY ...





LEADERSHIP, COLLABORATION, ACCOUNTABILITY





EDI MATTERS

Specifics to minoritised groups

(LGBTQ+, neurodivergent employees, ...)

- * Less likely to disclose.
- More likely to face barriers to support.
- * More vulnerable to disciplinary action.







WARM

Nothing?


Training?

Ban Alcohol?

Policies?

Test?

Punish?



= TALK and DE-STIGMATISE



NHS — Drug addiction: getting help

https://www.nhs.uk/live-well/addiction-support/drug-addiction-getting-help/

Talk to FRANK

https://www.talktofrank.com/

Alcohol Change UK

https://alcoholchange.org.uk/

Drinkaware

https://www.drinkaware.co.uk/

GamCare

https://www.gamcare.org.uk/





Dr. Georges Petitjean

hello@warmatwork.org

#